

thor

February 2017





Gas Salamander Grill

Robust, stainless steel professional grill with twin burners and flame failure protection. Removable grill rack, supports and crumb tray for quick and easy cleaning.

- **Independently Controlled Burners**
- **Flame Failure Protection**

Code	Description	Flame Burners	Cooking Area	Dimensions	Weight
GE559-N	Natural	2 x 4.4kW	627 x 287mm	465(H) x 900(W) x 520(D)mm	42kg
GE559-P	LPG	2 x 4.4kW	627 x 287mm	465(H) x 900(W) x 520(D)mm	42kg

02



Freestanding Gas Fryers

Free standing gas fryers with flame failure protection for safety. Heavy duty construction for durability and a commercial grade drain valve for quick and easy draining and cleaning.

- **Stainless Steel Tank**
- **Cool Zone in Fry Tank**
- **Built-In Flue Deflector**
- **Heavy Duty Castors**
- **3 or 4 Radiant Tube Burner Configurations**
- **32.5MJ (8.9kW) Burners**

Code	Description	Capacity	Max Output	Cooking Area	Dimensions	Weight
GH110-N	3 Burner Natural	19.75 Ltr	97.5MJ	355(W)x 355(D)mm	1165(H)x 395(W)x 765(D)mm	60kg
GH110-P	3 Burner LPG	19.75 Ltr	97.5MJ	355(W)x 355(D)mm	1165(H)x 395(W)x 765(D)mm	60kg
GH111-N	4 Burner Natural	25.25 Ltr	130MJ	355(W)x 355(D)mm	1165(H)x 395(W)x 765(D)mm	60kg
GH111-P	4 Burner LPG	25.25 Ltr	130MJ	355(W)x 355(D)mm	1165(H)x 395(W)x 765(D)mm	60kg

Freestanding Gas Griddles

Free standing gas griddles with safety valve and flame failure protection, with stand and feet. Manually controlled independent cooking zones for flexible use.

- **Large, Robust Dial Controls**
- **Burner Safety Valves**
- **Removable Waste Tray**
- **Polished Steel Cooking Surface**



Code	Description	Power	Max Output	Cooking Area	Dimensions	Weight
GE754-N	1 Burner Natural	32.5MJbtu/hr		377(W) x 510(D)mm	1175(H) x 915(W) x 835(D)mm	61kg
GE754-P	1 Burner LPG	32.5MJbtu/hr		377(W) x 510(D)mm	1175(H) x 915(W) x 835(D)mm	61kg
GH105-N	2 Burner Natural	63.3MJbtu/hr	17.6kW	606(W) x 510(D)mm	942(H)x 610(W)x 835(D)mm	72kg
GH105-P	2 Burner LPG	63.3MJbtu/hr	17.6kW	606(W) x 510(D)mm	942(H)x 610(W)x 835(D)mm	72kg
GH106-N	3 Burner Natural	95MJbtu/hr	26.4kW	911(W) x 510(D)mm	942(H)x 915(W)x 835(D)mm	108kg
GH106-P	3 Burner LPG	95MJbtu/hr	26.4kW	911(W) x 510(D)mm	942(H)x 915(W)x 835(D)mm	108kg

Freestanding Chargrills

Heavy duty chargrills with cast-iron grates and robust, independently controlled cooking zones for flexibility. Features sturdy stand with handy shelf for storage.

- **Stainless Steel Construction and Finish**
- **Heavy Duty Cast Iron Grilling Grates**
- **Manually Controlled, Independent Cooking Zones**
- **Large, Robust Dial Controls**
- **Stainless Steel Burners**
- **Burner Safety Valves**
- **Heavy Duty Adjustable Feet**
- **Removable Full Width Waste Tray**



GH103



GE755



GH104

Code	Description	Power	Cooking Area	Dimensions	Weight
GE755-N	1 Burner Natural	32.5MJ/hr	377(W) x 510(D)mm	1175(H) x 381(W) x 835(D)mm	58kg
GE755-P	1 Burner LPG	32.5MJ/hr	377(W) x 510(D)mm	1175(H) x 381(W) x 835(D)mm	58kg
GH103-N	2 Burner Natural	63.3MJbtu/hr	610(W) x 505(D)mm	942(H) x 610(W) x 835(D)mm	61.5kg
GH103-P	2 Burner LPG	63.3MJbtu/hr	606(W) x 500(D)mm	942(H) x 610(W) x 835(D)mm	61.5kg
GH104-N	3 Burner Natural	95MJbtu/hr	915(W) x 510(D)mm	942(H) x 915(W) x 835(D)mm	83.5kg
GH104-P	3 Burner LPG	95MJbtu/hr	911(W) x 500(D)mm	942(H) x 915(W) x 835(D)mm	83.5kg

Open Gas Hobs

Freestanding gas hobs with open burners, heavy duty cast iron trivets for extraordinary strength, and manually controlled, independent cooking zones for flexible use.

- **Stainless Steel Construction and Finish**
- **Heavy Duty Cast Iron Trivets**
- **Manually Controlled, Independent Hobs**
- **Large, Robust Dial Controls**
- **Burner Safety Valves**
- **Removable Full Width Waste Tray**
- **Heavy Duty Adjustable Feet**



GH107



GE757

GE756

Code	Description	Power	Cooking Area	Dimensions	Weight
GE756-N	2 Burner Natural	65MJ/Hr	305(W) x 610(D)mm	1175(H) x 305(W) x 835(D)mm	42kg
GE756-P	2 Burner LPG	65MJ/Hr	305(W) x 610(D)mm	1175(H) x 305(W) x 835(D)mm	42kg
GH107-N	4 Burner Natural	126.6MJbtu/hr	610(W) x 610(D)mm	942(H) x 610(W) x 835(D)mm	59kg
GH107-P	4 Burner LPG	126.6MJbtu/hr	610(W) x 610(D)mm	942(H) x 610(W) x 835(D)mm	59kg
GE757-N	6 Burner Natural	195MJ/hr	915(W) x 610(D)mm	1175(H) x 915(W) x 835(D)mm	96kg
GE757-P	6 Burner LPG	195MJ/hr	915(W) x 610(D)mm	1175(H) x 915(W) x 835(D)mm	96kg

Freestanding Oven Ranges with Griddles

Heavy duty gas oven ranges made from robust stainless steel. Features include U-shaped oven burner, powerful open burners, flame failure protection and large, robust dial controls. These ovens are easy clean, easy to service and fully modular with other Thor units to form a complete kitchen range. Supplied with stainless steel splashbacks.



GE544

- **Independently Controlled Cast-Iron Burners**
- **Thermostatically Controlled Oven**
- **Large Robust Dial Controls**
- **Stainless Steel Splashback & Spill Trays**
- **Flame Failure Protection**

Code	Description	Power	Flame Burners	Temperature Range	Cooking Area	Dimensions	Weight
GE542-N	600mm Griddle Natural	91.5MJ/hr	8.8kW	100°C to 300°C	606(W) x 510(D)mm	1175(H) x 610(W) x 835(D)mm	130kg
GE542-P	600mm Griddle LPG	93MJ/hr	8.8kW	100°C to 300°C	606(W) x 510(D)mm	1175(H) x 610(W) x 835(D)mm	130kg
GE544-N	900mm Griddle Natural	124MJ/hr	8.8kW	100°C to 300°C	911(W) x 510(D)mm	1175(H) x 915(W) x 835(D)mm	185kg
GE544-P	900mm Griddle LPG	130MJ/hr	8.8kW	100°C to 300°C	911(W) x 510(D)mm	1175(H) x 915(W) x 835(D)mm	185kg

06

Freestanding Oven Range with Griddle



GE543

Versatile and extremely robust, this stainless steel oven range features a griddle plate - ideal for frying and keeping cooked food ready to serve - U-shaped oven burner, powerful open burners, flame failure protection and large, robust dial controls.

- **24" Polished Stainless Steel Griddle Plate**
- **Independently Controlled Cast-Iron Burners**
- **Compact Gas Oven with 2 Shelves & Drop Down Door**
- **Stainless Steel Splashback & Spill Tray**
- **Flame Failure Protection**

Code	Description	Power	Flame Burners	Temperature Range	Cooking Area	Dimensions	Weight
GE543-N	600mm Griddle Natural	156.5MJ/hr	8.8kW	100°C to 300°C	305(W) x 610(D)mm & 606(W) x 510(D)mm	1175(H) x 915(W) x 835(D)mm	180kg
GE543-P	600mm Griddle LPG	162MJ/hr	8.8kW	100°C to 300°C	305(W) x 610(D)mm & 606(W) x 510(D)mm	1175(H) x 915(W) x 835(D)mm	180kg

Gas Ovens with Open Burners

Freestanding gas oven ranges with open burners with flame failure protection. Heavy duty construction, with stainless steel splashback. Drop down door.

- **Stainless Steel Construction**
- **216mm Stainless Steel Splashback**
- **Flame Failure Protection**
- **Stainless Steel Spill Trays**



GH100

Code	Description	Oven Burner	Max Output	Temperature Range	Dimensions	Weight
GH100-N	4 Burner Natural	25MJ/Hr (6.9kW)	155MJ	100°C to 300°C	1175(H)x 610(W)x 835(D)mm	125kg
GH100-P	4 Burner LPG	28MJ/Hr (7.7kW)	158MJ	100°C to 300°C	1175(H)x 610(W)x 835(D)mm	125kg
GH101-N	6 Burner Natural	25MJ/Hr (6.9kW)	220MJ	100°C to 300°C	1175(H)x 915(W)x 835(D)mm	170kg
GH101-P	6 Burner LPG	32.5MJ/Hr (8.9kW)	227.5MJ	100°C to 300°C	1175(H)x 915(W)x 835(D)mm	170kg

07

Gas Oven with Open Burners & 12" Griddle


Freestanding gas oven range with four open burners and 305mm griddle plate. Flame failure protection. Heavy duty construction, with stainless steel splashback. Drop down door.

- **Stainless Steel Construction**
- **216mm Stainless Steel Splashback**
- **Flame Failure Protection**
- **20mm Thick Griddle Plate**
- **Stainless Steel Spill Trays**



GH102

Code	Description	Power	Oven Burner	Max Output	Temperature Range	Dimensions	Weight
GH102-N	Natural Gas	187.5MJ/hr	25MJ/Hr (6.9kW)	187.5MJ	100°C to 300°C	1175(H)x 915(W)x 835(D)mm	175kg
GH102-P	LPG	195MJ/hr	32.5MJ/Hr (8.9kW)	195MJ	100°C to 300°C	1175(H)x 915(W)x 835(D)mm	175kg



We reserve the right to change the design and specification of goods without notice. Descriptions in the leaflet are correct at the time of going to press but are subject to alteration. Details of any changes will be available.

